

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	71	S1 AND (client WITH discover\$3 WITH request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/02/20 13:27
S4	27732	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/02/20 13:28
S5	17	S3 AND S4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/02/20 13:33
S16	12	(SOEMO NEAR MICHAEL).in.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/05 11:05
S17	6	S16 AND LON	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/05 11:06
S19	76	S18 AND (client WITH discover\$3 WITH request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:13
S20	28293	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/03/28 19:13
S21	19	S19 AND S20	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:14

EAST Search History

S22	5	S21 AND (mobile OR thin) NEAR2 (device OR client)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:17
S23	334	S18 AND (mobile OR thin) NEAR2 (device OR client)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:17
S24	34	S18 SAME (mobile OR thin) NEAR2 (device OR client)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:17
S7	16	S3 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:18
S25	33	S24 AND discover\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:18
S28	15	S24 AND discover\$3 AND @ad<="20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:25
S30	4	S29 SAME registry	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:28
S27	14	S24 AND discover\$3 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:31
S29	57	client NEAR2 discovery NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:31

EAST Search History

S33	19	client NEAR2 discovery NEAR2 request AND S32	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:31
S34	9	S33 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/28 19:31
S1	1303	("universal description discovery and integration") OR UDDI	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 10:41
S35	2	("20020041667").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/03/29 10:41
S31	2	S29 SAME unavailable	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:02
S37	811	S36 AND (unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:06
S36	6571	("universal description discovery and integration") OR UDDI OR LDAP	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:07
S40	13839	("universal description discovery and integration") OR UDDI OR LDAP OR (service NEAR2 directory)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:07
S2	1151	S1 AND discover\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:08

EAST Search History

S38	58	S36 AND ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:08
S39	560	S36 AND ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) AND (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:08
S41	94	S40 AND ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:08
S42	929	S40 AND ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) AND (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:08
S43	39	S41 AND discover\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:08
S44	528	S42 AND discover\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:09
S45	55	S42 AND discover\$3 AND (Queue OR cash\$3 OR buffer\$3) NEAR2 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:11
S48	55	S44 AND discover\$3 AND (Queue OR cash\$3 OR buffer\$3) NEAR2 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:11
S50	28357	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/03/29 11:13

EAST Search History

S51	15	S49 AND S50	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:13
S49	42	S48 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:18
S52	27	S49 NOT S51	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 11:19
S55	79	TCP NEAR3 acceleration	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 13:23
S61	404	registry ADJ server	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 13:55
S32	6543	("universal description discovery and integration") OR UDDI OR LDAP	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 13:56
S62	1065	registry ADJ (server OR service)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 13:56
S63	1476	("universal description discovery and integration") OR UDDI OR LDAP AND S62	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 13:56
S26	4	S24 AND discover\$3 NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 13:57

EAST Search History

S64	93	S63 AND discover\$3 NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 13:57
S65	28	S64 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:04
S68	17	UDDI.ti.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:06
S57	36	determin\$4 NEAR2 (server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:16
S75	36	S57 AND S70	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:16
S70	520	(server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line) WITH (directory OR registr\$5 OR server OR service) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:49
S77	2	(server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line) SAME (Intermediary OR proxy OR intermediate)) AND S76	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:50
S78	2	(server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line) AND (Intermediary OR proxy OR intermediate)) AND S76	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:51
S79	3656	DHCP ADJ server ((unavailable OR not\$1available OR off\$1line) AND (Intermediary OR proxy OR intermediate)) AND S76	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:51

EAST Search History

S80	3656	DHCP ADJ server ((unavailable OR not\$1available OR off\$1line) SAME(Intermediary OR proxy OR intermediate)) AND S76	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:51
S76	61	DHCP discover request	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	ADJ	ON	2007/03/29 14:52
S81	3656	DHCP ADJ server ((unavailable OR not\$1available OR off\$1line) SAME (Intermediary OR proxy OR intermediate)) AND S76	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:52
S84	1130	DHCP NEAR2 request	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:52
S85	12	DHCP ADJ server SAME ((unavailable OR not\$1available OR off\$1line) AND (Intermediary OR proxy OR intermediate)) AND S84	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:57
S18	1352	("universal description discovery and integration") OR UDDI	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:59
S60	21	S57 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:59
S87	31	("universal description discovery and integration") OR UDDI AND S86	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 14:59
S88	18	S87 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:00

EAST Search History

S86	2110	(server OR service OR registry) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line) SAME (Intermediary OR proxy OR intermediate))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:07
S90	11	determin\$4 NEAR4 (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queue\$3 OR buffer\$3) SAME (re\$1transmit\$3 OR re\$1send\$4 OR communicat\$3 OR transmit\$4 OR send\$4) SAME (request OR discover)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:08
S89	11	determine\$3 NEAR4 (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queue\$3 OR buffer\$3) SAME (re\$1transmit\$3 OR re\$1send\$4 OR communicat\$3 OR transmit\$4 OR send\$4) SAME (request OR discover)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:10
S92	22	S91 AND @ad<"20030630" NOT S89	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:11
S94	14	(US-20050021663-\$ or US-20040003033-\$ or US-20030158915-\$ or US-20030100307-\$ or US-20020165945-\$ or US-20040090966-\$ or US-20020143819-\$ or US-20040213409-\$ or US-20020004796-\$).did. or (US-7171470-\$ or US-7149892-\$ or US-7111006-\$ or US-7054618-\$).did. or (WO-200293289-\$).did.	US-PGPUB; USPAT; DERWEN T	OR	ON	2007/03/29 15:14
S95	4	S93 AND S94	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:16
S69	6	S68 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:17
S96	81	discover\$4 NEAR2 services NEAR4 registr\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:17

EAST Search History

S97	62	S96 AND (Intermediary OR proxy OR intermediate OR agent OR manager)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:17
S98	28	S97 and @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:18
S99	14	S97 and @ad<"20030630" and UDDI	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:26
S100	14972	(707/3,9,10).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/03/29 15:30
S101	1	determin\$4 SAME (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queue\$3 OR buffer\$3) SAME (re\$1transmit\$3 OR re\$1send\$4 OR communicat\$3 OR transmit\$4 OR send\$4) SAME (request OR discover) AND S100	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:31
S102	4	(UDDI AND registry).ab. AND S100	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:33
S103	28357	(709/203,223-225,217-219,228,229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/03/29 15:33
S104	8	(UDDI AND registry).ab. AND S103	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 15:33

EAST Search History

S105	2	("20040267882").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/03/29 17:45
S47	2	S43 AND discover\$3 AND (Queue OR cash\$3 OR buffer\$3) NEAR2 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:36
S91	40	determin\$4 SAME (server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME (queue\$3 OR buffer\$3) SAME (re\$1transmit\$3 OR re\$1send\$4 OR communicat\$3 OR transmit\$4 OR send\$4) SAME (request OR discover)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:36
S108	204	S107 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:41
S107	257	S106 SAME (unavailable OR not\$1available OR off\$1line OR busy) NEAR5 (server registr\$4 authenticat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:54
S110	22	S109 SAME (Queue OR cach\$3 OR buffer\$3) NEAR5 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:55
S109	264	Determin\$3 NEAR4 (server OR registr\$4) NEAR3 (unavailable OR not\$1available OR off\$1line OR busy)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:58
S106	45191	(Queue OR cach\$3 OR buffer\$3) NEAR5 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:59

EAST Search History

S111	0	Determin\$3 NEAR4 (server OR registr\$4) NEAR3 (unavailable OR not\$1available OR off\$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach\$3 OR buffer\$3) NEAR5 (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:59
S112	0	Determin\$3 NEAR4 (server OR registr\$4) NEAR3 (unavailable OR not\$1available OR off\$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach\$3 OR buffer\$3) SAME (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 18:59
S113	16	(server OR registr\$4) NEAR3 (unavailable OR not\$1available OR off\$1line OR busy) SAME (Intermediary OR proxy OR intermediate) SAME (Queue OR cach\$3 OR buffer\$3) SAME (discover OR request)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/03/29 19:00
S93	8292	(server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR on\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager))	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/01 17:50
S114	427	(server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) SAME ((unavailable OR not\$1available OR off\$1line OR busy) SAME (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/01 17:51
S117	2	(server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) NEAR3 ((unavailable OR not\$1available OR off\$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) NEAR2 queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/01 17:51
S115	317	S114 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/01 17:52
S116	44	(server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) NEAR3 ((unavailable OR not\$1available OR off\$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) SAME queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/01 17:52
S118	10	(server OR service OR registr\$3 OR (UDDI ADJ registr\$3) OR provider) NEAR3 ((unavailable OR not\$1available OR off\$1line OR busy) NEAR3 (Intermediary OR proxy OR intermediate OR agent OR manager)) WITH queue\$4	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/01 17:52

EAST Search History

S120	7	S118 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/01 17:52
S119	35	S116 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/01 17:53
S121	1	("7155425").PN.	USPAT	OR	OFF	2007/04/02 10:20
S122	15	(US-20070033597-\$ or US-20050021663-\$ or US-20040003033-\$ or US-20030100307-\$ or US-20020165945-\$ or US-20030158915-\$ or US-20040090966-\$ or US-20020143819-\$ or US-20040213409-\$).did. or (US-7103628-\$ or US-7171470-\$ or US-7054618-\$ or US-7149892-\$ or US-7111006-\$ or US-7155425-\$).did.	US-PGPUB; USPAT	OR	ON	2007/04/02 10:20
S123	5	S122 AND UDDI AND discover\$3 AND registr\$4 AND (off\$1line OR unavailable OR busy)	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 10:22
L4	6	((dummy OR false) NEAR2 response) NEAR3 availab\$5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 13:29
L5	6	((dummy OR false OR pseudo) NEAR2 response) NEAR3 availab\$5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 13:30
L8	56	((dummy OR pseudo) WITH response) WITH availab\$5	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 13:34
S6	24390836	@ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 13:34

EAST Search History

L11	20	ACK WITH acceleration	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 13:43
S56	6	TCP WITH ACK WITH acceleration	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 13:43
L12	12	11 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 14:17
L13	7	11 AND @ad<"20030630" AND intercept\$3	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 14:19
L23	47	(service OR server) NEAR2 unavailable NEAR4 error	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 15:37
L24	25	23 AND @ad<"20030630"	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/04/02 15:37